## Assignment No. 5

## Physics 2P20

## Due November 18, 2025

- (5) 1. An artillery shell is fired at an angle of elevation of 60° with initial speed  $v_0$ . At the uppermost part of its trajectory, the shell bursts into two equal fragments, one of which moves directly upward, relative to the ground, with initial speed of  $v_0/2$ . What is the direction and speed of the other fragment immmediately after the burst?
- (5) **2**. A proton of mass  $m_p$  with initial velocity  $\vec{v}_0$  collides with a helium atom, mass  $4m_p$ , that is initially at rest. If the proton leaves the point of impact at an angle of  $45^{\circ}$  with the original line of motion, find the final velocities of each particle. Assume that the collision is perfectly elastic.
- (5) 3. An inverted garbage can of weight W is suspended in air by a water fountain from a geyser. The water shoots up from the ground with a speed  $v_0$  at a constant rate dm/dt. Assume that the water "particles" undergo an elastic collision with the garbage can. Find the height at which the garbage can rides.
  - This is essentially Problem 4.23 from Kleppner and Kolenkow, 2nd edition.
- (5) 4. Kleppner and Kolenkow, 2nd edition, Problem 6.16 (converting between C.o.M. and Lab frames).
- (5) 5. Kleppner and Kolenkow, 2nd edition, Problem 5.12 (Lennard-Jones potential).